

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:sssptasell626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * Welcome to STN International * * * * * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 JAN 12 Match STN Content and Features to Your Information
Needs, Quickly and Conveniently
NEWS 3 JAN 25 Annual Reload of MEDLINE database
NEWS 4 FEB 16 STN Express Maintenance Release, Version 8.4.2, Is
Now Available for Download
NEWS 5 FEB 16 Derwent World Patents Index (DWPI) Revises Indexing
of Author Abstracts
NEWS 6 FEB 16 New FASTA Display Formats Added to USGENE and PCTGEN
NEWS 7 FEB 16 INPADOCDB and INPAFAMDB Enriched with New Content
and Features
NEWS 8 FEB 16 INSPEC Adding Its Own IPC codes and Author's E-mail
Addresses
NEWS 9 APR 02 CAS Registry Number Crossover Limits Increased to
500,000 in Key STN Databases
NEWS 10 APR 02 PATDPAFULL: Application and priority number formats
enhanced
NEWS 11 APR 02 DWPI: New display format ALLSTR available
NEWS 12 APR 02 New Thesaurus Added to Derwent Databases for Smooth
Sailing through U.S. Patent Codes
NEWS 13 APR 02 EMBASE Adds Unique Records from MEDLINE, Expanding
Coverage back to 1948
NEWS 14 APR 07 CA/CAplus CLASS Display Streamlined with Removal of
Pre-IPC 8 Data Fields
NEWS 15 APR 07 50,000 World Traditional Medicine (WTM) Patents Now
Available in CAplus
NEWS 16 APR 07 MEDLINE Coverage Is Extended Back to 1947

NEWS EXPRESS FEBRUARY 15 10 CURRENT WINDOWS VERSION IS V8.4.2,
AND CURRENT DISCOVER FILE IS DATED 15 JANUARY 2010.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN customer
agreement. This agreement limits use to scientific research. Use
for software development or design, implementation of commercial
gateways, or use of CAS and STN data in the building of commercial
products is prohibited and may result in loss of user privileges
and other penalties.

* * * * * * * * * STN Columbus * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 10:14:39 ON 19 MAY 2010

=> fil reg
COST IN U.S. DOLLARS
SINCE FILE
ENTRY
TOTAL
SESSION
0.22
0.22
FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 10:14:56 ON 19 MAY 2010
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2010 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 18 MAY 2010 HIGHEST RN 1224564-83-3
DICTIONARY FILE UPDATES: 18 MAY 2010 HIGHEST RN 1224564-83-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH January 8, 2010.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
Uploading C:\Program Files\STNEXP\Queries\10586958c.str




chain nodes :
10 11 12 13 14 15
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
3-13 7-10 10-11 11-12 13-14 14-15
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9
exact/norm bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 11-12
exact bonds :
3-13 7-10 10-11 13-14 14-15

```
Match level :  
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS  
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS
```

```
L1      STRUCTURE UPLOADED
```

```
=> d  
L1 HAS NO ANSWERS  
L1      STR
```



```
Structure attributes must be viewed using STN Express query preparation.
```

```
=> s 11  
SAMPLE SEARCH INITIATED 10:15:15 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED -      7 TO ITERATE  
  
100.0% PROCESSED      7 ITERATIONS      1 ANSWERS  
SEARCH TIME: 00.00.01  
  
FULL FILE PROJECTIONS: ONLINE  **COMPLETE**  
                      BATCH   **COMPLETE**  
PROJECTED ITERATIONS:      7 TO      298  
PROJECTED ANSWERS:        1 TO      80
```

```
L2      1 SEA SSS SAM L1
```

```
=> s 11 ful  
FULL SEARCH INITIATED 10:15:19 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED -      121 TO ITERATE  
  
100.0% PROCESSED      121 ITERATIONS      8 ANSWERS  
SEARCH TIME: 00.00.01
```

```
L3      8 SEA SSS FUL L1
```

```
=> fil caplus  
COST IN U.S. DOLLARS      SINCE FILE      TOTAL  
FULL ESTIMATED COST      ENTRY      SESSION  
                           191.54      191.76
```

FILE 'CAPLUS' ENTERED AT 10:15:21 ON 19 MAY 2010
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 May 2010 VOL 152 ISS 21
FILE LAST UPDATED: 18 May 2010 (20100518/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2010
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 2010

CAplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2010.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> s 13
L4      1 L3

=> d ibib abs hitstr tto
'TTO' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'
```

The following are valid formats:

```
ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
CLASS ----- IPC, NCL, ECLA, FTERM
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
          SCAN must be entered on the same line as the DISPLAY,
          e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, CLASS

IABS ----- ABS, indented with text labels
```

IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
 containing hit terms
HITRN ----- HIT RN and its text modification
HITSTR ----- HIT RN, its text modification, its CA index name, and
 its structure diagram
HITSEQ ----- HIT RN, its text modification, its CA index name, its
 structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
 its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
 structure diagram, plus NTE and SEQ fields
KWIC ----- Hit term plus 20 words on either side
OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.

ENTER DISPLAY FORMAT (BIB):end

=> d ibib abs hitstr tot


L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN
 ACCESSION NUMBER: 2005;811739 CAPLUS
 DOCUMENT NUMBER: 143:229863
 TITLE: A manufacturing of (triazolylmethyl)indole derivatives
 INVENTOR(S): Martin, Pierre; Berens, Ulrich; Boudier, Andreas; Dosenbach, Oliver
 PATENT ASSIGNEE(S): Ratiopharm G.m.b.H., Germany
 SOURCE: PCT Int. Appl., 67 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005075422	A1	20050818	WO 2005-EP793	20050127
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TW, TN, TR, TT, TZ, UA, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MA, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TG, TG				
CA 2553652	A1	20050818	CA 2005-2553652	20050127
EP 1751104	A1	20070214	EP 2005-707035	20050127
EP 1751104	B1	20100324		
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR				
AT 461916	T	20100415	AT 2005-707035	20050127
IN 2006DNO3983	A	20070824	IN 2006-DN3983	200609711
US 20070123711	A1	20070531	US 2006-586958	20061128
			EP 2004-100303	20040428


PRIORITY APPLN. INFO.:

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
 OTHER SOURCE(S): CASREACT 143:229863; MARPAT 143:229863
 GI


L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)
 RN 862703-27-3 CAPLUS
 CN Hydrazinecarboxylic acid, 2-[(3-[2-(dimethylamino)ethyl]-1H-indol-5-yl)methyl]-, methyl ester (CA INDEX NAME)




RN 862703-28-4 CAPLUS
 CN Hydrazinecarboxylic acid, 2-[(3-[2-(dimethylamino)ethyl]-1H-indol-5-yl)methyl]-, 2-methylpropyl ester (CA INDEX NAME)



RN 862703-29-5 CAPLUS
 CN Hydrazinecarboxylic acid, 2-[(3-[2-(dimethylamino)ethyl]-1H-indol-5-yl)methyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)



RN 862703-30-8 CAPLUS
 CN Hydrazinecarboxylic acid, 2-[(3-[2-(dimethylamino)ethyl]-1H-indol-5-yl)methyl]-, methyl ester, hydrochloride (1:1) (CA INDEX NAME)




RN 862703-31-9 CAPLUS
 CN Hydrazinecarboxylic acid, 2-[(3-[2-(dimethylamino)ethyl]-1H-indol-5-yl)methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)



I




II

AB The invention relates to a preparation of (triazolylmethyl)indole derivatives of formula I [wherein: R1 and R2 are independently H or alkyl] and their intermediates. For instance, anti-migraine agent rizatriptan I [R1 = R2 = Me; no biol. data] was prepared from [(hydrazinomethylindolyl)ethyl]-dimethyl-amine II with a yield of 55%.
 IT 862703-17-1P 862703-26-2P 862703-27-3P
 862703-28-4P 862703-29-5P 862703-30-8P
 862703-31-9P
 RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); FACT (Reactant or reagent)
 (manufacturing of (triazolylmethyl)indole derivs. and their intermediates)


RN 862703-17-1 CAPLUS

CN 1H-Indole-3-ethanamine, 5-(hydrazinylmethyl)-N,N-dimethyl- (CA INDEX NAME)




RN 862703-26-2 CAPLUS

CN Hydrazinecarboxaldehyde, 2-[(3-[2-(dimethylamino)ethyl]-1H-indol-5-yl)methyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)




● 2 HCl

IT 862703-16-0P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (manufacturing of (triazolylmethyl)indole derivs. and their intermediates)

RN 862703-16-0 CAPLUS

CN Acetic acid,
 2-[(3-[2-(dimethylamino)ethyl]-1H-indol-5-yl)methyl]hydrazide (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD
 (1 CITINGS)

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

● HCl

RN 862703-31-9 CAPLUS
 CN Hydrazinecarboxaldehyde, 2-[(3-[2-(dimethylamino)ethyl]-1H-indol-5-yl)methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	6.31	198.07
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-0.85	-0.85

STN INTERNATIONAL LOGOFF AT 10:15:40 ON 19 MAY 2010